

TECHNICAL SPECIFICATIONS

| | | | |
|--------------------|---|--------------------------|--------------------------------|
| Country of Origin: | New Zealand | Colours: | 6 Standard |
| Yarn: | 80% NZ Wool / 20% Synthetic | Surface Texture: | Cut Pile Twist |
| Gauge: | 31.5/10cm (1/8th Gauge) | Total Product Thickness: | 11 (+/- 1.0)mm |
| Pile Height: | 8 (+/- 1.0)mm | Pile Weight: | 1627.47g/m ² (48oz) |
| Backing: | Woven Polypropylene | Installation Method: | Conventionally Laid |
| Notes: | Stocked locally in NZ for fast lead times | Type: | Commercial Broadloom |
| Roll Width: | 3.66 | Secondary Backing: | 6oz Jute |
| Pattern Repeat: | Not Applicable | | |

PERFORMANCE

| | |
|--------------------|--|
| Stain Resistance: | Natural Wool Fibre Stain Resistance |
| ACCS Rating: | Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star |
| Contract Warranty: | GH Commercial provides comprehensive warranties for our products. All warranties are issued on a project by project basis. Please contact us to discuss your requirements further. |

SUSTAINABILITY

| | |
|----------------|--|
| Green Star: | Environmental Certification Scheme (ECS). Level 4 Maximum Points - Certificate #22164 |
| Accreditation: | Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body. |



Made in New Zealand



Cut Pile Twist



Residential Extra Heavy Duty & Stairs - 6 Star



Declare® Red List Free



Mid Range



Contract Medium Duty - 2 Star



NZ Wool



Wool Blend

Ben Avon



120
Whakapapa



270
Rangipo



590
McKenzie Basin



780
Lammermoor



910
Kaimanawa



960
Kaweka

Ben Avon



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst carpets must be installed in accordance with the latest AS2455 and any relevant Godfrey Hirst Installation Instructions. ~Test results and certificates are available on request.

*This product comes with a manufacturer's guarantee for new carpet installed indoors in owner occupied premises, if properly installed and maintained. This guarantee is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this Guarantee. The amount recoverable under the guarantee decreases fifteen years. For full information in respect to the scope and limitations of this guarantee, please refer to the full terms and conditions available from your retailer, by calling 1300 444 778, or by downloading from www.godfreyhirst.com.