

OAK LEAF

8 & 12MM HD PLUS LAMINATE

WATER RESISTANT



Australia's Most Beautiful Floors

PREFERENCE  FLOORS

High Definition Realism

OAKLEAF HD PLUS laminate delivers amazing realism with décor visuals so natural you would think you were looking at an actual timber plank. Using High Definition (HD) technology we have curated a stunning range of popular Australian Timber, European Oak & American Hickory décors.



**UP TO
30
UNIQUE
PATTERNS**

Unique Plank Patterns

High Definition (HD) digital imaging was used across a random sampling of natural timber planks to create at least 30 unique plank images. This is approximately 5 times as many unique patterns as you would expect from a standard laminate plank. The size of the installation area & plank blending will determine extent of variation.



DELTA SAND



COLOUR RANGE









AC4 2200 x 196 x 12mm


AC3 1215 x 195 x 8mm

The colour palette presents popular Australian Timber, Hickory & Oak decors all developed using cutting edge high definition digital print technology; great depth of colour, natural features along with multiple pattern variations. Oakleaf HD PLUS laminate, you'll be amazed how realistic it looks!





HIGH DEFINITION DIGITAL IMAGING
48 HR WATER RESISTANT LAMINATE






WOLF GREY



Unique Features


CLICK TECHNOLOGY

The patented 3 step Water Resistant process starts with a unique click profile that has been modified to tighten the T-Seam lock. These changes to the click geometry significantly reduce the opportunity for surface leakage.



BEVEL & CLICK TONGUE TREATMENT



Both the surface bevel and the click profile tongue are treated with a water resistant coating to create a moisture barrier to avoid leakage through the click locking profile.



SPECIALISED HDF CORE

Not all laminate cores are the same. Oakleaf HD PLUS is manufactured with a highly water resistant HDF core that uses specialised binders to deliver a guaranteed 48hr water resistant warranty. The specialised HDF core along with the unique click profile & bevel coating system delivers reliable protection for modern living environments.

Independent test certified for
T-Seam - Swell & Seepage > 80hrs.





SIERRA OAK

Technical Specifications

KEY FEATURES

Interior 48hr Water Resistant warranty incorporating a 3-step process that includes a T Seam tight lock click profile, moisture protection treated bevel edges & independently tested water-resistant core. High Definition Realism & Unique Pattern Repeats.

CLASSIC WIDTH PLANKS

195mm (8mm - AC3) & 196mm (12mm - AC4) planks for Oak, Hickory & Australian Timber décors.

DESCRIPTION & PROFILE

48hr Water-resistant AC3 & AC4 Laminate. Valinge Click profile. Moisture protection - Micro Bevel V4.

SURFACE FEATURES

High Definition Digital Print realistic timber visuals, colours, and textures. Super Matte coating.



SWELL TESTING

Conforms to EN 13329:2016 + A1:2017 & ISO 24336:2005 & NALFA, T Seam - Swell & Seepage Test > 80hrs.

SLIP RATING

AS 4586:2013 Appendix A, P3.

FIRE TEST

12mm: CHF Value 4.4Kw/m2. Smoke Value 12% min.
8mm: CHF Value 5.4Kw/m2. Smoke Value 9% min.

VOC

VOC GOLD Greenguard Certified for Low Chemical Emissions UL.COM/GG UL 2818-2013, 108959-420

ACOUSTIC VALUE - WITH 2MM GREEN UNDERLAY

8mm - L'nT,w 44 - AAAC⁵ star rating, 5 Star,
Complies with NCC

12mm - L'nT,w 45 - AAAC⁵ star rating, 5 Star,
Complies with NCC

OAK LEAF

8 & 12MM HD PLUS LAMINATE

WATER RESISTANT



Preference Floors (SA)

Adelaide
08 8262 2774
sa@preferencefloors.com.au

Preference Floors (WA)

Perth
08 9471 7785
wa@preferencefloors.com.au

Preference Floors (QLD)

Brisbane
07 3875 1688
qld@preferencefloors.com.au

Preference Floors (NSW)

Sydney
02 9738 1188
sales@preferencefloors.com.au

Preference Floors (VIC)

Melbourne
03 9794 5111
vic@preferencefloors.com.au

PREFERENCE  FLOORS

www.preferencefloors.com.au