



# Nature's Oak



GENUINE  
EUROPEAN OAK

---

HERRINGBONE  
DESIGNS

---


SCRATCH, WEAR  
& STAIN RESISTANT

WOOD FLOORING IN ALL ITS GLORY




# Timeless beauty

The Nature's Oak range uses a character-enriched grade of genuine European Oak, designed to bring the features of the forest to your floor. These rustic features are matched with a brushed and textured matt surface for a classic timeless look and feel. Micro-bevels on the long side, and a palette of contemporary colours provide an inspirational platform for any interior.



## Uniclic® glue-free installation system\*

- Fastest, easiest & strongest joining system in the world
- Can be walked on during and immediately after installation



## Full accessory range

- Closely matched accessories for a beautiful finish



## Genuine European Oak

- Nothing surpasses the appeal of a wood floor



## Residential wear warranty\*\*

- A beautiful finish for years to come

Nature's Oak planks have superior stability thanks to a plantation hardwood core. All the planks are brushed and finished with 7 scratch, wear and stain resistant layers of high performance European lacquer for a lifetime of enjoyment.

Manufactured to the highest standards using materials sourced from sustainably managed resources.



#### Low maintenance

- Easy to clean
- No oiling required



#### Scratch resistant

- More resistant to scratching, scuffing and staining thanks to a strong, protective wear layer.



#### Environmentally friendly

- Produced from sustainable materials and resources
- Formaldehyde emissions  
EN717-1/ISO1600  $\ll$  E1 Compliance



#### Structural warranty

- For peace of mind





Arctic White  
WBO0008-190



Blanc  
WBO2008-165



Blanc  
WBO2008-190



Manor  
WBO0101-190



Eiger  
WBO1008-190



Aspen Grey  
WBO3008-190



Matterhorn  
WBO6008-165



Sierra  
WBO4008-165



Sierra  
WBO4008-190



Black Forest  
WBO9008-190



Dolomite  
WBO0102-165



Denali  
WBO0103-190

### Nature's Oak WBO####-190

1820\* (2200) x 190 x 14mm nominal

Micro-bevel 2 sides

1 box = 2.075 (2.508)m<sup>2</sup>

Number of lengths per box = 6

(made up of some shorter boards)

### Nature's Oak WBO####-165

1820\* (2200) x 165 x 14mm nominal

Micro-bevel 2 sides

1 box = 1.802 (2.178)m<sup>2</sup>

Number of lengths per box = 6

(made up of some shorter boards)



Residential use



Residential use



AC4 - class 32

**NOTE:** In line with the variation of raw material it is common for the specified board length to sometimes be made up from shorter boards.

\* Length subject to availability



Blanc Herringbone  
WB05135



Aspen Grey Herringbone  
WB05134



Sierra Herringbone  
WB05133



Denali Herringbone  
WB05132



### Nature's Oak Herringbone

580 x 145 x 14mm nominal

No bevel

1 box = 1.009m<sup>2</sup>

Number of lengths per box = 12



Residential use



Residential use

Tongue & groove



AC4 - class 32



Denali Herringbone  
WB05132



## Grading

Nature's Oak contains a lively level of variation in colour and grain structure. Planks have been selected with large filled knots to provide an authentic "forest to the floor" charm.

Knots up to 80mm diameter can be expected, with no quantity limit per panel, as measured in accordance with EN311.

The presence of sapwood and medullary rays is allowed.

## It's natural

Timber is a natural product and includes a selection of knots and other features in line with the beauty of Oak. Colour and grain variation from the sample, and within the floor, is to be expected and distinguishes your Nature's Oak as real, natural timber.

Wood flooring is not colour fast. Whenever samples or flooring are exposed to natural light, they will change colour.

## Care & Maintenance

While Nature's Oak is coated with multiple layers of high quality European lacquer, it will still mark and scratch through normal wear and tear.

These simple steps will help keep your floor looking better for longer:

- Apply felt floor protectors to all movable furniture.
- Sweep and vacuum regularly.
- Install dirt trapping mats at all access doors.
- For castor chairs, use soft castors only or use protective mats.
- You can re-coat the floor when it begins to show signs of wear.
- Use only Nature's Oak recommended cleaning products.

All Natures Oak Engineered Timber has passed ISO4760 test in relation to NZBC E3 clause.

Alternative solution documentation is available on request when building consent is required.

BPIR Documentation is available on request.

# Accessories

Nature's Oak offers a complete solution with closely matching accessories for a beautiful finish of your floor.



## Incizo profile

QSWINCP(-)

Multi functional finishing accessory

215 x 4.8 x 1.3cm



## Installation set

RFIK

Allows easy and professional

installation




To enjoy a full warranty, use only Uniclic installation kit, recommended underlay and cleaning product and follow the Nature's Oak installation instructions and guidelines.



## Underlay

NZC-LAY20/NZC-LAY50

Combilay provides a good reduction of reflected and impact noise and is available in 20 and 50m<sup>2</sup> rolls x 2mm



## Quiet-Step Underlay

NZQC-LAY20/NZQSC-LAY50

Quiet-Step Combi-lay for the best result and a quieter, more solid floor underfoot. Available in 20 and 50m<sup>2</sup> rolls x 2mm



## Cleaning kit

QSSPRAYKIT

A simple way of keeping your floor looking new



## Cleaning product 1l

QSCLEANECO1000



## Cleaning mop

QSSPRAYMOP



# Nature's Oak



 **FLOORSCAPE**  
[www.floorscape.co.nz](http://www.floorscape.co.nz)

Front cover: WBO5135 Back cover: WBO4008. Product images may differ from actual product. The availability of products, or the products themselves may change at any time without notice. Content © 2024 by Floorscape Ltd., New Zealand. All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.