



SYNTHETIC

WARRANTY & CARE GUIDE



CONTENTS

WARRANTY & CARE GUIDE

About Synthetic Carpets	3
Caring for your Synthetic Carpet	6
Stain Removal Guide for Synthetic Carpets	8
Synthetic Carpet Cleaning Table	10
Synthetic Carpet Warranties	12
Consumer	19

SYNTHETIC



CARPETS

Carpets made of synthetic fibers such as Solution Dyed Nylon (SDN), Polypropylene and Polyester offer different performance characteristics.

Solution Dyed Nylon (SDN)

SDN is a sturdy, durable yet flexible fiber that is colour-fast and treated to increase stain resistance.

Expert Flooring uses only premium quality SDN due to the many benefits it delivers users over commodity nylon. In general, SDN has superior light degradation, dye ability, elastic recovery, fatigue resistance and thermal stability.

Long-lasting quality

Expert Flooring quality SDN carpets are due to setting and maintaining consistently high construction standards, ensured by regular testing. In addition, all our carpets undergo independent testing through the Carpet Institutes ACCS for performance and demission's. The excellent results achieved by our SDN carpets demonstrate their resilience and excellent performance under heavy foot traffic.

Durability

SDN is highly regarded for its excellent abrasion resistance. In terms of pure wear, SDN outperforms severe other synthetic carpet fiber.

Colour-fastness you can trust

Comparing SDN and commodity nylon is like comparing a carrot and a radish SDN is dyed prior to extrusion so the colour is an integral part of the yarn – much like a carrot is orange all the way through. Pieced dyed commodity nylon is extruded as white yarn and dyed after tufting. Its colouring is more like a radish – coloured on the surface and white underneath. The result is an inferior colorfast performance.

Stain resistance

Expert Flooring Hamilton SDN is both stain and soil resistant, so cleaning and maintenance is easy. Our SDN carpets have a topical treatment (stain inhibitors) applied to it.

Ease of cleaning

SDN is very resilient, so these carpets can be cleaned with harsher cleaners. However, we don't recommend using bleach as used frequently; it will break down the polypropylene primary backing. Also, there is no absolute guarantee that SDN carpets won't stain if spills are not promptly attended to or if they contain strong dyes.

Soil resistance

Expert Flooring Hamilton SDN yarn is specially shaped to ensure that less soil is deposited around the fibers. This also makes any soil that does adhere to the fibers less visible.

Anti-static

All Expert Flooring SDN products have anti-static treatment that is guaranteed for the life of the carpet.

Polypropylene

Polypropylene is a fatigue-resistant fiber that is naturally colour-fast and inherently stain resistant. The superior colour-fast properties of polypropylene are due to the colour that is incorporated in the actual structure of the fiber. Polypropylene filaments have outstanding abrasion resistance. This fiber also has excellent stain resistance, ensuring your carpet will maintain its great looks for many years.

As people and families move more towards informal lifestyles, including eating on couches and casual furniture, stain resistance is becoming an extremely important carpet attribute.

Polypropylene filament has the lowest inherent electrostatic build-up of all synthetic fibers. This is increasingly important in homes and offices in which expensive electrical equipment is located.



Polyester

Polyester is another popular synthetic fiber used in carpets. Less expensive than nylon, it once had a reputation for being of poor quality. However, in recent years, the quality of polyester fiber has improved considerably, and it can offer an excellent value choice for the budget conscious.

When new, polyester carpets look beautiful, belying their economical price. The fiber has a very luxurious “hand” and come in some of the richest colours of any fiber. Because it is process-dyed, polyester has excellent fade resistance, while its relatively soft fibers give a rich feel, with high “perceived” quality.

CARING

FOR YOUR SYNTHETIC CARPET



Regular Maintenance

Frequent vacuuming removes soil particles from the surface before they work their way below the pile surface. It is recommended to vacuum at least once a week and more for a heavy traffic area. It is recommended to use either upright vacuums or quality barrel vacuums with adjustable brush-heads. Extra care must be taken in heavy traffic areas, including entrance areas.

Loop pile carpets: If you have a loop pile carpet, we recommend the use of an adjustable regular-suction type vacuum cleaner. Turbo or power brush-head attachments may reduce surface fuzziness or crimping—however excessive use can lead to fuzzing. Power bar and rotating brushes should only be used on the lightest settings. Some vacuum cleaners available in the market can damage the yarn bundle and cause fuzziness across the carpet surface due to their coarse bristles. We highly recommend before vacuuming our newly installed carpet that you vacuum an offcut piece of carpet to ensure your current vacuum cleaner will not agitate the loops of the fibers and cause unnecessary fuzziness.





Cut Pile and Cut & Loop carpets: You can use an adjustable regular-suction, turbo or a power brush-head for your cut pile or cut and loop carpet; however excessive use of rotating brush-head may disturb the overall appearance of your carpet. We recommend using an adjustable regular-suction head and occasionally vacuuming with your turbo or power brush-head.



Periodic Maintenance

However meticulously both regular and interim maintenance are carried out, the time will come when the carpeting requires thorough, deep or restorative cleaning. Carpet should be steam-cleaned at a minimum of once every two years. Steam cleaning should be carried out by a reputable professional steam cleaner and in accordance with the Australian and New Zealand carpet cleaning and maintenance standard AS/NZS3733-1995.

STAINREMOVAL

FOR SYNTHETIC CARPETS

Correct and regular maintenance will increase the life span of a carpet and help maintain its good appearance. Cleaning should be proportional to the amount of soiling the carpet is subject to the more dirt is deposited on the carpet, the more intensive the maintenance program required.

Spot Cleaning Procedures

Immediately remove as much of the spill as possible. To remove stains, it is generally best to use general carpet cleaning liquids designed specifically for spot cleaning. The recurrence of stains after spot cleaning is not uncommon for a concentrated spill, so a repeat treatment is necessary.

Never rub or scrub the carpet as it may cause fuzzing or change the appearance of the carpet. Always work from the outside of the stain towards the middle to avoid further spreading. It is recommended to pre-test any cleaning agents to a small, obscured area of your carpet to ensure they do not affect the appearance or colour of the carpet.

It is most important to rinse the cleaned area thoroughly with water and blot dry after removing any spills. If the cleaned area is not sufficiently rinsed, a sticky detergent residue remains which attracts soiling.



If stains fail to respond to treatments, contact a professional carpet cleaner immediately!

Spills should be attended to as they occur – the older the stain, the more difficult it is to remove.

Dry Stains

Gently remove as much of the substance as possible using a small soft hand brush or spatula to break up any crusted material and then vacuum thoroughly.

Wet Stains

Blot with absorbent white cloth or paper towel, or use a spatula to remove any excess, then blot. For larger spills, a portable extraction unit or wet/dry vacuum, or professional cleaning is best.

RECOMMENDED

CLEANING METHODS

Rinse the cleaned area thoroughly with clear cold water after each cleaning step and blot dry.

Detergent

Use commercially available general carpet cleaning or spot removal detergent. Apply detergent sparingly to the stained area then blot to remove residue and rinse thoroughly with clear water. Blot dry.

Ammonia solution

Mix 1 tablespoon non-bleaching household ammonia with one cup of warm water. (Note: Do not mix with chlorine bleach). Gently apply ammonia solution sparingly. Blot the stained area to remove the substance, rinse thoroughly with clear water. Blot dry.

Vinegar solution

Mix one-part white vinegar and one part water. Apply the white vinegar solution to the entire area that has been cleaned. Rinse thoroughly with clear water. Blot dry.

Alcohol

Clear alcohol, use as is. Apply only enough alcohol to dampen the stain. Blot dry. Repeat if the stain continues to transfer.

Clearwater

Rinse the cleaned area thoroughly with clear water and blot dry. If stains fail to respond to treatments, contact a professional carpet cleaner immediately.

Stain	Step 1	Step 2	Step 3	Step 4
Asphalt	Alcohol	Detergent	Vinegar solution	Clear water
Beer	Detergent	Ammonia solution	Clear water	
Berries	Detergent	Ammonia solution	Clear water	
Blood	Detergent	Ammonia solution	Clear water	
Bleach	Detergent	Ammonia solution	Clear water	
Butter	Alcohol	Detergent	Vinegar solution	Clear water
Chalk	Detergent	Ammonia solution	Clear water	
Chewing Gum	Chill	Scrape off	Clear water	
Chocolate	Alcohol	Detergent	Vinegar solution	Clear water
Clay (red)	Detergent	Ammonia solution	Clear water	
Coffee	Detergent	Vinegar solution	Clear water	
Crayon	Alcohol	Detergent	Vinegar solution	Clear water
Faeces	Detergent	Ammonia solution	Clear water	
Felt Tip Marker	Alcohol	Detergent	Vinegar solution	Clear water
Fruit Juice/ Drinks	Detergent	Ammonia solution	Clear water	
Furniture Polish	Alcohol	Detergent	Vinegar solution	Clear water
Glue	Detergent	Ammonia solution	Clear water	
Gravy	Detergent	Ammonia solution	Clear water	
Grease	Alcohol	Detergent	Vinegar solution	Clear water
Hair Dye	Detergent	Ammonia solution	Clear water	
Ice Cream	Detergent	Ammonia solution	Clear water	
Ink (washable)	Detergent	Ammonia solution	Clear water	
Ink (permanent)	Alcohol	Detergent	Vinegar solution	Clear water
Insecticides	Alcohol	Detergent	Vinegar solution	Clear water
Iron Rust	Detergent	Ammonia solution	Clear water	
Lipstick	Alcohol	Detergent	Vinegar solution	Clear water
Liquor	Alcohol	Detergent	Vinegar solution	Clear water

Stain	Step 1	Step 2	Step 3	Step 4
Mascara	Alcohol	Detergent	Vinegar solution	Clear water
Medicines	Detergent	Ammonia solution	Clear water	
Milk	Detergent	Ammonia solution	Clear water	
Motor Oil	Alcohol	Detergent	Vinegar solution	Clear water
Mouthwash	Detergent	Ammonia Solution	Clear water	
Mustard	Detergent	Vinegar solution	Clear water	
Nail Polish	Alcohol	Detergent	Vinegar solution	Clear water
Oil	Alcohol	Detergent	Vinegar solution	Clear water
Ointment	Alcohol	Detergent	Vinegar solution	Clear water
Paint (oil base)	Alcohol	Detergent	Vinegar solution	Clear water
Paint (water base)	Detergent	Ammonia solution	Clear water	
Petroleum jelly	Alcohol	Detergent	Vinegar solution	Clear water
Plant Food	Detergent	Ammonia solution	Clear water	
Salad Dressing	Alcohol	Detergent	Vinegar solution	Clear water
Shoe Polish	Alcohol	Detergent	Vinegar solution	Clear Water
Soft Drinks	Detergent	Ammonia solution	Clear water	
Soy Sauce	Alcohol	Detergent	Vinegar solution	Clear Water

WARRANTIES

FOR SYNTHETIC CARPETS

Expert Flooring Hamilton provides outstanding warranties on its synthetic carpets which are subject to the following conditions.

General Warranty Conditions

Carpets must be properly installed over new underlay according to the Australian and New Zealand Standard AS/NZS-2455 and maintained adequately as recommended in this brochure. These warranties are extended to the original purchaser only and are not transferable. These warranties are solely for domestic indoor use of the carpet in accordance with the recommendations made on the rating. These warranties apply to first quality carpets only.

These warranties do not cover:

- Any problems caused by improper installation
- Any problems caused by the failure of or non-usage of underlay
- Any carpet installed outdoors or in utility areas
- Carpets installed or used in any non-residential and non-owner-occupied premises
- Damage or appearance problems resulting from wrapping carpet around nosing of stairs
- Carpet that has been surface-treated with materials not recommended
- Damage due to the use of improper cleaning agents or methods, and damage due to the use of cleaning or polishing agents used in cleaning adjacent hard floor surfaces
- Any carpet inadequately maintained and cared for
- Damage caused by accidents, abuse or abnormal wear such as tears, burns, pulls, cuts or from household pets or from wetting
- Damage resulting from the use of mobile equipment and abuse through athletic or gym equipment

- Damage caused by castor chairs without protection mats
- Permanent pile reversal (also referred to as shading or watermarking), pilling, matting, flattening or tracking
- Minor differences between the colour and texture of samples and the installed carpet
- Damage caused by aggressive vacuum cleaner power heads that change the construction of the installed carpet
- The cost of making any claim under these warranties





Warranties for Synthetic Carpets

You can determine which of the below listed warranties apply to a particular carpet by checking the labels on the back of the carpet samples or by asking your Victoria Carpets retailer.

20/15 /10 /5 Year Limited Wear Warranty for Residential Use

Expert Flooring warrants its carpet against pile weight loss by abrasive wear of more than 40% within the period mentioned in the wear warranty label affixed to the sample, from date of delivery, provided it is used in accordance with the Australian Carpet Classification Scheme (ACCS) or manufacturers rating.

This warranty covers abrasive wear of the surface pile only and does not cover carpet backings.

To make a claim you must notify your place of purchase and provide proof of purchase. If upon inspection and testing Expert Flooring is satisfied that the carpet was correctly installed to NZ Standards and maintained and that the surface pile has abrasively worn more than 40% in the period mentioned on the wear warranty label affixed to the sample, Expert Flooring will offer to repair or replace the affected area inclusive of installation or offer an allowance to the cost of the carpet only in the affected area. Any replacement carpet will be of same or comparable quality to the installed carpet at the time of purchase.

20/15/10 Year Limited Stain Resistance for Residential Use

Expert Flooring warrants that the surface pile of the carpet will resist most household stains for the period mentioned in the warranty label affixed to the sample, from date of delivery when properly installed indoors to NZ Standards.

No carpet is completely stain proof. Stain resistance treatment will increase your ability to clean up stains, not prevent stains.

This warranty specifically excludes general soiling, discoloration, appearance change due to pile distortion, exposure to substances or contaminants which degrade or destroy synthetic yarn or the colour of the carpet (e.g. bleaches, drain cleaners etc.), very hot liquids, food and beverages containing strong dyes (e.g. mustard, curry, coffee and tea) and staining that becomes permanent due to the failure to carry out care and stain removal procedures as recommended.

Before making a claim under this warranty, you must attempt to remove the stain by using the recommended cleaning procedures. If the stain removal is not successful you must have the affected area of your carpet professionally steam cleaned. If the affected area remains unsatisfactory you must notify your place of purchase immediately.

You must be able to provide proof of purchase and proof that professional steam cleaning has been undertaken.

You must permit Victoria Carpets access to the installed carpet in order to remove the stain. If, under testing and analysis performed by Expert Flooring, the tested carpet or the cleaned area is found to have a rating of 4 or less Under the Red 40 Stain Scale when tested according to the American Association of Textile Chemists and Colorists (AATCC) Test Method 175, Expert Flooring will pay for the attempted removal of the stain by us and will offer to repair or replace the affected area inclusive of installation or offer an allowance to the cost of the carpet only in the affected area.

Any replacement carpet will be of same or comparable quality as the installed carpet. If the stain is removed as warranted, all stain removal costs will be responsibility of the purchaser.



20/15/10 Year Limited Colour fast Warranty for Residential Use

Expert Flooring warrants that its carpet will not display a significant change in colour due to exposure to sunlight or atmospheric contaminants for the period mentioned in the warranty label affixed to the sample, from date of delivery or for a period not exceeding 200 Xenon Fadeometer hours of such exposure.

To make a claim under this warranty, you must notify your place of purchase, provide proof of purchase and provide non-returnable samples of the carpet for testing. If, under testing performed by Expert Flooring, firstly the carpet is found to have a rating of 4 or less under the Blue Scale, when tested in accordance with ISO Test Method 105B02, Expert Flooring will offer to repair or replace the affected area inclusive of installation or offer an allowance to the cost of the carpet only in the affected area. Any replacement carpet will be of same or comparable quality as the installed carpet.

Lifetime Anti-static Protection

Unlike other carpets that are protected by topical treatment, synthetic carpet filaments are permanently anti-static. Expert Flooring warrants that its carpet is treated with an anti-static agent providing protection by reducing static build-up for the life of the carpet.





Consumer Law

Australia

Our goods come with warranties that cannot be excluded under the Australian Consumer Law. You are entitled to placement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

New Zealand

Our goods come with warranties that cannot be excluded under the Consumer Guarantees Act.



Showroom
169 Ellis Street
Frankton Hamilton

07 849 0173
office@expertflooring.co.nz
www.expertflooring.co.nz



Connect with us!

